ELSEVIER

Fluid Phase Equilibria 117 (1996) xi–xiii

FLUID PHASE EQUILIBRIA

Contents

Preface vii
Organizing committee viii
Conference photograph. ix

Polymer solutions

Equations of state for monomers and polymers
P.D. Condo and M. Radoxa (Annandale, NJ, USA). 1–10
An algorithm for multiphase equilibrium calculations for systems containing polymers
J.J. Kosinski (Warsaw, Poland) and A. Anderko (Brea, CA, USA) 11–17
Prediction of vapor–liquid equilibrium for polymer solutions by a group-contribution Redlich-Kwong-Soave equation of state
A. Bertucco and C. Mio (Padova, Italy) 18–25
Application of the GFD EOS on VLE calculations of polymer solutions
C.-S. Wu, M. Tang and Y.-P. Chen (Taipei, Taiwan). 26–32
Application of the group-contribution lattice-fluid equation of state to random copolymer–solvent systems
B.-C. Lee and R.P. Danner (University Park, PA, USA) 33–39
Liquid–liquid phase separation in linear low density polyethylene–solvent systems
Th.W. de Loos, L.J. de Graaf and J. de Swaan Arons (Delft, The Netherlands) 40–47
A new lattice–fluid equation of state and its group contribution applications for predicting phase equilibria of mixtures
K.-P. Yoo and C.S. Lee (Seoul, South Korea). 48–54
Prediction of vapor–liquid equilibria in polymer solutions using EOS–group contribution model consistent with the second virial coefficient condition
K. Tochigi, K. Kojima (Tokyo, Japan) and T. Sako (Ibaraki, Japan) 55–60
Calculating copolymer solution behavior with statistical associating fluid theory
S.-H. Lee, B.M. Hasch and M.A. McHugh (Baltimore, MD, USA) 61–68
Liquid–liquid equilibria for polymer solutions and blends, including copolymers
Y. Song, T. Hino, S.M. Lambert and J.M. Prausnitz (Berkeley, CA, USA) 69–76
Vapor–liquid equilibria for copolymer/solvent systems: effect of "intramolecular repulsion"
R.B. Gupta and J.M. Prausniz (Berkeley, CA, USA) 77–83
Phase equilibria of saturated and unsaturated polyisoprene in sub- and supercritical ethane, ethylene, propane, propylene, and dimethyl ether
K.L. Albrecht, F.P. Stein (Bethlehem, PA, USA), S.J. Han, C.J. Gregg and M. Radosz (Annandale, NJ, USA) 84–91
Application of Wong-Sandler mixing rules to polymer solutions
J.L. Liu and D.S.H. Wong (Hsinchu, Taiwan) 92–99
Molecular thermodynamic theory for polymer systems. I. A close-packed lattice model
Y. Hu, H. Liu and Y. Shi (Shanghai, China) 100–106
The effect of pressure on the sol–gel transition of gelatin in aqueous 1-1 electrolyte solutions
C. Yokoyama, Y. Tamura, S. Takahashi (Sendai, Japan) and K. Takeuchi (Narashino, Japan) 107–113

Solid–fluid equilibria

Solid-fluid equilibrium: new perspectives from molecular theory
X. Cottin, E.P.A. Paras, C. Vega and P.A. Monson (Amherst, MA, USA). 114–125
Solids formation in hydrocarbon systems
G.D. Holder, R.M. Enick (Pittsburgh, PA, USA) and R.S. Mohamed (Brazil). 126–137
Solid–liquid equilibrium of n-alkanes using the chain delta lattice parameter model
J.A.P. Coutinho, S.I. Andersen and E.H. Stenby (Lyngby, Denmark) 138–145
Solid–liquid phase diagram for ethylene glycol + water
D.R. Cordray, L.R. Kaplan (South Charleston, WV, USA), P.M. Woyciesjes and T.F. Kozak (Danbury, CT, USA) 146–152

Solid–fluid and vapor–liquid equilibria of binary reservoir model fluids
E. Flöter, Th.W. de Loos and J. de Swaan Arons (Delft, The Netherlands) 153–159
Adamantane and diamantane; phase diagrams, solubilities, and rates of dissolution
J. Reiser, E. McGregor, J. Jones, R. Enick and G. Holder (Pittsburgh, PA, USA) 160–167
Formation and decomposition of gas hydrates
P. Raj Bishnoi and V. Natarajan (Calgary, Alta., Canada) 168–177
Measurement of structure H hydrate phase equilibrium and the effect of electrolytes
U. Hütz and P. Englezos (Vancouver, BC, Canada). 178–185
Natural hydrate inhibiting components in crude oils
F.H. Fadnes (Bergen, Norway) 186–192
Hydrate structure stability in simple and mixed hydrates
E.M. Hendriks (Amsterdam, The Netherlands), B. Edmonds, R.A.S. Moorwood and R. Szczepanski (London, UK) 193–200

Characterization of reservoir systems
Asphaltenes, resins, and other petroleum macromolecules
I.A. Wiehe and K.S. Liang (Annandale, NJ, USA) 201–210
Measurements of Henry's constants for the characterization of heavy petroleum fractions
P. Alessi, A. Cortesi, I. Kikic (Trieste, Italy) and E. Neau (Marseille, France) 211–216
Physical properties of heavy petroleum fractions and crude oils
M.R. Riazi and T.A. Al-Sahhaf (Safat, Kuwait). 217–224
A consistent procedure for pseudo-component delumping
C. Leibovici (Pau Cedex, France), E.H. Stenby and K. Knudsen (Lyngby, Denmark). 225–232
An internally consistent approach for determining the properties of lumped components using a cubic equation of state
C.H. Twu and J.E. Coon (Brea, CA, USA) 233–240

Reservoir systems
Phase boundary measurement on a methane + decane + multiparaffins systems
J.L. Daridon, P. Xans and F. Montel (Pau, France) 241–248
Phenomena related to the storage of natural gas in underground caverns
J. Gregorowicz, C.J. Peters, J. de Swaan Arons (BL Delft, Netherlands), G. Friedrichs (Duisburg, Germany) and M. Jaeschke (Dorsten, Germany) 249–256
Preliminary phase diagrams for ABVB + *n*-dodecane + hydrogen
C.R. Cartlidge, L. Dukhedin-Lalla (Toronto, Ont., Canada), P. Rahimi (Devon, Canada) and J.M. Shaw (Toronto, Ont., Canada). 257–264
A new algorithm for enhanced oil recovery calculations
E. Neau, L. Avaullée (Marseille Cedex, France) and J.N. Jaubert (Nancy, France) 265–272
Supercritical toluene–petroleum pitch mixtures: liquid–liquid equilibria and SAFT modeling
G. Bolaños and M.C. Thies (Clemson, SC, USA). 273–280

Surface equilibria and phenomena
Multicomponent equilibria on ion-exchange resins
S. Melis, J. Markos, G. Cao and M. Morbidelli (Cagliari, Italy) 281–288
Sorption of nitrogen, methane, carbon dioxide and their mixtures on bituminous coals at in-situ conditions
J.J. Chaback, W.D. Morgan and D. Yee (Tulsa, OK, USA) 289–296
Highly carbon dioxide soluble surfactants, dispersants and chelating agents
A.V. Yazdi, C. Lepilleur, E.J. Singley, W. Liu, F.A. Adamsky, R.M. Enick and E.J. Beckman (Pittsburgh, PA, USA) . . . 297–303
An experimental study of supercritical adsorption equilibria of salicylic acid on activated carbon
I. Kikic, P. Alessi, A. Cortesi (Trieste, Italy), S.J. Macnaughton, N.R. Foster (Sydney, N.S.W., Australia) and B. Spicka (Maribor, Slovenia) 304–311
Non-classical interfacial tension and fluid phase behaviour
P.M.W. Cornelisse, C.J. Peters and J. de Swaan Arons (Delft, The Netherlands) 312–319
Modeling of the micellar solution–solid surfactant equilibrium
N.A. Smirnova (St. Petersburg, Russia) 320–333

Transport properties
Transport properties: from fundamental theory to industrial practice
W.A. Wakeham (London, UK) 334–343

A review of practical calculation methods for the viscosity of liquid hydrocarbons and their mixtures
A.K. Mehrotra, W.D. Monnery and W.Y. Svrcek (Calgary, Alta., Canada) 344–355
Diffusion of acetone in supercritical carbon dioxide
H. Nishiumi, M. Fujita and K. Agou (Tokyo, Japan) 356–363
Measurement and correlation of the diffusion coefficients of carbon dioxide in liquid hydrocarbons under elevated pressures
L.-S. Wang, Z.X. Lang and T.-M. Guo (Beijing, China) 364–372
Tracer diffusion in systems exhibiting enhanced local composition
S.A. Winters, C.A. Denault, L.T. Nguyen and M.A. Matthews (Columbia, SC, USA) 373–377
Viscosity prediction from a modified square well intermolecular potential model
W.D. Monnery, A.K. Mehrotra and W.Y. Svrcek (Calgary, Alta., Canada) 378–385
The transport properties of seven alkanediols
J.G. Bleazard, T.F. Sun, R.D. Johnson (Atlanta, GA, USA), R.M. DiGuilio (Austin, TX, USA) and A.S. Teja (Atlanta, GA, USA) 386–393

Author Index 395

Part I of this Special Issue can be found in Volume 116